

1. Purba, M. *et al.* Establishment and characterization of multilayered fibroblast cell sheets from the canine oral mucosa, skin, and tail skin. *Open Veterinary Journal* **14**, 3428–3439 (2024) doi: [DOI: 10.5455/OVJ.2024.v14.i12.27](https://doi.org/10.5455/OVJ.2024.v14.i12.27).
2. Matsuyama, M. & Iwamiya, T. Novel and effective plasmid transfection protocols for functional analysis of genetic elements in human cardiac fibroblasts. *PLOS ONE* **19**, e0309566 (2024) doi: [10.1371/journal.pone.0309566](https://doi.org/10.1371/journal.pone.0309566).
3. Yanagihara, M. *et al.* Fibroblasts are the most suitable cell source for regenerative medicine due to their high intracellular fibroblast growth factor 2 content. *Biochemistry and Biophysics Reports* **35**, 101510 (2023) doi: [10.1016/j.bbrep.2023.101510](https://doi.org/10.1016/j.bbrep.2023.101510).
4. Yamamoto, Naohiro *et al.* Allogenic multilayered fibroblast sheets promote anastomotic site healing in a rat model of esophageal reconstruction. *Am J Transl Res* **15**, 3217–3228 (2023).
5. Ise, H., Araki, Y., Song, I. & Akatsuka, G. N-acetylglucosamine-bearing polymers mimicking O-GlcNAc-modified proteins elicit anti-fibrotic activities in myofibroblasts and activated stellate cells. *Glycobiology* **33**, 17–37 (2023) doi: [10.1093/glycob/cwac067](https://doi.org/10.1093/glycob/cwac067).
6. Yoshimine, S. *et al.* Autologous Multilayered Fibroblast Sheets Can Reinforce Bronchial Stump in a Rat Model. *Seminars in Thoracic and Cardiovascular Surgery* **34**, 349–358 (2022) doi: [10.1053/j.semtcvs.2021.03.010](https://doi.org/10.1053/j.semtcvs.2021.03.010).
7. Matsuno, Y. *et al.* Dry preserved multilayered fibroblast cell sheets are a new manageable tool for regenerative medicine to promote wound healing. *Scientific Reports* **12**, 12519 (2022) doi: [10.1038/s41598-022-16345-6](https://doi.org/10.1038/s41598-022-16345-6).
8. Ike, Soichi *et al.* Cryopreserved allogenic fibroblast sheets: development of a promising treatment for refractory skin ulcers. *Am J Transl Res* **14**, 3879–3892 (2022).
9. Fujii, K. Study on the Biosynthetic Mechanism That Ensures the Thermal Stability of the Collagen Triple Helix. (Waseda University, 2022).
10. Ueno, K. *et al.* Freezing of cell sheets using a 3D freezer produces high cell viability after thawing. *Biochemistry and Biophysics Reports* **28**, 101169 (2021) doi: [10.1016/j.bbrep.2021.101169](https://doi.org/10.1016/j.bbrep.2021.101169).
11. Togasaki, K. *et al.* Wnt Signaling Shapes the Histologic Variation in Diffuse Gastric Cancer. *Gastroenterology* **160**, 823–830 (2021) doi: [10.1053/j.gastro.2020.10.047](https://doi.org/10.1053/j.gastro.2020.10.047).
12. Miyazaki, Y. *et al.* Adipose-derived mesenchymal stem cells differentiate into heterogeneous cancer-associated fibroblasts in a stroma-rich xenograft model. *Scientific Reports* **11**, 4690 (2021) doi: [10.1038/s41598-021-84058-3](https://doi.org/10.1038/s41598-021-84058-3).
13. Song, I. & Ise, H. Development of a Gene Delivery System of Oligonucleotides for Fibroses by Targeting Cell-Surface Vimentin-Expressing Cells with N-

Acetylglucosamine-Bearing Polymer-Conjugated Polyethyleneimine. *Polymers* **12**, (2020) doi: [10.3390/polym12071508](https://doi.org/10.3390/polym12071508).

14. Nagase, T. *et al.* Allogeneic fibroblast sheets accelerate cutaneous wound healing equivalent to autologous fibroblast sheets in mice. *Am J Transl Res* **12**, 2652–2663 (2020).
15. Miyazaki, Y., Oda, T., Mori, N. & Kida, Y. S. Adipose-derived mesenchymal stem cells differentiate into pancreatic cancer-associated fibroblasts in vitro. *FEBS Open Bio* **10**, 2268–2281 (2020) doi: [10.1002/2211-5463.12976](https://doi.org/10.1002/2211-5463.12976).
16. Iwamiya, T., Segard, B.-D., Matsuoka, Y. & Imamura, T. Human cardiac fibroblasts expressing VCAM1 improve heart function in postinfarct heart failure rat models by stimulating lymphangiogenesis. *PLOS ONE* **15**, e0237810 (2020) doi: [10.1371/journal.pone.0237810](https://doi.org/10.1371/journal.pone.0237810).
17. Mihajlovic, M. *et al.* Are cell-based therapies for kidney disease safe? A systematic review of preclinical evidence. *Pharmacology & Therapeutics* **197**, 191–211 (2019) doi: [10.1016/j.pharmthera.2019.01.004](https://doi.org/10.1016/j.pharmthera.2019.01.004).
18. Fujii, K. K. *et al.* Lowering the culture temperature corrects collagen abnormalities caused by HSP47 gene knockout. *Scientific Reports* **9**, 17433 (2019) doi: [10.1038/s41598-019-53962-0](https://doi.org/10.1038/s41598-019-53962-0).
19. Seino, T. *et al.* Human Pancreatic Tumor Organoids Reveal Loss of Stem Cell Niche Factor Dependence during Disease Progression. *Cell Stem Cell* **22**, 454–467.e6 (2018) doi: [10.1016/j.stem.2017.12.009](https://doi.org/10.1016/j.stem.2017.12.009).
20. Nanki, K. *et al.* Divergent Routes toward Wnt and R-spondin Niche Independency during Human Gastric Carcinogenesis. *Cell* **174**, 856–869.e17 (2018) doi: [10.1016/j.cell.2018.07.027](https://doi.org/10.1016/j.cell.2018.07.027).
21. Mizoguchi, T. *et al.* Autologous fibroblasts, peripheral blood mononuclear cells, and fibrin glue accelerate healing of refractory cutaneous ulcers in diabetic mice. *Am J Transl Res* **10**, 2920–2928 (2018).
22. Mizoguchi, T. *et al.* Treatment of Cutaneous Ulcers with Multilayered Mixed Sheets of Autologous Fibroblasts and Peripheral Blood Mononuclear Cells. *Cellular Physiology and Biochemistry* **47**, 201–211 (2018) doi: [10.1159/000489767](https://doi.org/10.1159/000489767).
23. Ise, H., Yamasaki, S., Sueyoshi, K. & Miura, Y. Elucidation of GlcNAc-binding properties of type III intermediate filament proteins, using GlcNAc-bearing polymers. *Genes to Cells* **22**, 900–917 (2017) doi: [10.1111/gtc.12535](https://doi.org/10.1111/gtc.12535).
24. Yu, G. *et al.* Gingival Fibroblasts as Autologous Feeders for Induced Pluripotent Stem Cells. *J Dent Res* **95**, 110–118 (2016) doi: [10.1177/0022034515611602](https://doi.org/10.1177/0022034515611602).
25. Hirobe, T., Shibata, T. & Sato, K. Human fibroblasts treated with hydrogen peroxide stimulate human melanoblast proliferation and melanocyte differentiation, but

- inhibit melanocyte proliferation in serum-free co-culture system. *Journal of Dermatological Science* **84**, 282–295 (2016) doi: [10.1016/j.jdermsci.2016.09.001](https://doi.org/10.1016/j.jdermsci.2016.09.001).
26. 井家益和 & 畠賢一郎. ヒト皮膚細胞の採取・培養法. *Organ Biology* **22**, 57-65 (in Japanese) (2015) doi: [10.11378/organbio.22.57](https://doi.org/10.11378/organbio.22.57).
27. Zenda, M. *et al.* A Cisplatin Derivative that Inhibits Collagen Fibril-Formation in vitro. *Chemical Biology & Drug Design* **85**, 519–526 (2015) doi: [10.1111/cbdd.12450](https://doi.org/10.1111/cbdd.12450).
28. Ejiri, H. *et al.* Use of synthetic serum-free medium for culture of human dermal fibroblasts to establish an experimental system similar to living dermis. *Cytotechnology* **67**, 507–514 (2015) doi: [10.1007/s10616-014-9709-0](https://doi.org/10.1007/s10616-014-9709-0).
29. 于冠男. Virus-Free and Autologous Culture System for Human Gingiva-Derived iPS Cells (歯肉を用いた動物由来成分／ウイルス・フリーのヒト iPS 細胞培養技術の確立). (Osaka University, 2014).
30. Morimoto, N. *et al.* An exploratory clinical study on the safety and efficacy of an autologous fibroblast-seeded artificial skin cultured with animal product-free medium in patients with diabetic foot ulcers. *International Wound Journal* **11**, 183–189 (2014) doi: [10.1111/j.1742-481X.2012.01064.x](https://doi.org/10.1111/j.1742-481X.2012.01064.x).
31. Watanabe, E. & Hoshi, H. Caffeic acid stimulates growth and differentiation of human epidermal keratinocytes. *Tiss Cult Res Commun* **32**, 189–194 (2013) doi: [10.11418/jtca.32.189](https://doi.org/10.11418/jtca.32.189).
32. Hirobe, T., Hasegawa, K., Furuya, R., Fujiwara, R. & Sato, K. Effects of fibroblast-derived factors on the proliferation and differentiation of human melanocytes in culture. *Journal of Dermatological Science* **71**, 45–57 (2013) doi: [10.1016/j.jdermsci.2013.03.012](https://doi.org/10.1016/j.jdermsci.2013.03.012).
33. Morimoto, N. *et al.* The Utilization of Animal Product-Free Media and Autologous Serum in an Autologous Dermal Substitute Culture. *Journal of Surgical Research* **171**, 339–346 (2011) doi: [10.1016/j.jss.2009.11.724](https://doi.org/10.1016/j.jss.2009.11.724).
34. Nishi, H. *et al.* Wound healing effects of gingival fibroblasts cultured in animal-free medium. *Oral diseases* **16**, 438–444 (2010) doi: [10.1111/j.1601-0825.2010.01654.x](https://doi.org/10.1111/j.1601-0825.2010.01654.x).
35. Kashino, G. *et al.* Induction of DNA Double-Strand Breaks and Cellular Migration Through Bystander Effects in Cells Irradiated With the Slit-Type Microplanar Beam of the Spring-8 Synchrotron. *International Journal of Radiation Oncology\*Biological\*Physics* **74**, 229–236 (2009) doi: [10.1016/j.ijrobp.2008.09.060](https://doi.org/10.1016/j.ijrobp.2008.09.060).
36. Takami, Y., Nonaka, Y., Ono, S. & Hyakusoku, H. Effect of a culture medium; HFD-1 for cultivating dermal fibroblasts of elderly patients. *Skin Surg* **17**, 70-73 (in Japanese) (2008).

37. Mitui, M., Takahashi, K., Kobayashi, K. & Matsuoka, T. Human lung fibroblasts cultivated with HFDM-1 reduced both the secreted PAI-1 and the surface UPA activities. *Tiss Cult Res Commun* **26**, 133–142 (2007) doi: [10.11418/jtca.26.133](https://doi.org/10.11418/jtca.26.133).
38. Yamada, K. *et al.* Fabrication of Cultured Oral Gingiva by Tissue Engineering Techniques Without Materials of Animal Origin. *Journal of Periodontology* **77**, 672–677 (2006) doi: [10.1902/jop.2006.050223](https://doi.org/10.1902/jop.2006.050223).
39. Itoh, T., Sendai, Y., Cho, J.-H. & Hoshi, H. ヒト皮膚線維細胞の合成培地(HFDM-1)による増殖培養. *Tiss Cult Res Commun* **25**, 86 (2006) doi: [10.11418/jtca1981.25.1\\_61](https://doi.org/10.11418/jtca1981.25.1_61).
40. Itoh, T. & Hoshi, H. 合成培地 HFDM-1 を用いたヒト正常皮膚線維芽細胞の増殖培養. *Tiss Cult Res Commun* **24**, 115-122 (in Japanese) (2005) doi: [10.11418/jtca1981.24.2-3\\_115](https://doi.org/10.11418/jtca1981.24.2-3_115).